

TRIO/DUO-TESTING FAMILY MEMBER TEST REQUISITION FORM

(Not for targeted variant or carrier testing)

FAMILY MEMBER INFORMATION		ACCOUNT INFORMATION	
First Name	Last Name	Account Number	Account Name
Genetic Sex <input type="radio"/> Male <input type="radio"/> Female Gender Identification (optional): _____	Date of Birth (mm/dd/yy)	Phone	Fax
Ancestry <input type="radio"/> White/Caucasian <input type="radio"/> Hispanic <input type="radio"/> Black/African American <input type="radio"/> Native American <input type="radio"/> East Asian <input type="radio"/> South Asian <input type="radio"/> Middle Eastern <input type="radio"/> Ashkenazi Jewish <input type="radio"/> Other: _____		Address	City
Email		State	Zip Code Country
Address		Ordering Provider	
City	State	Name	Role/Title
Primary Phone	Is this family member deceased? <input type="radio"/> Yes <input type="radio"/> No Deceased Date: _____	Phone	NPI
		Email Address	

SAMPLE INFORMATION		PROBAND INFORMATION	
Date Sample Collected (mm/dd/yy) (required)	Medical Record #	Proband's Name (required):	
<input type="radio"/> Blood <input type="radio"/> Buccal swab <input type="radio"/> Other (call lab) _____ <input type="radio"/> DNA: Tissue Source _____		Proband's DOB (mm/dd/yy) (required):	Relationship to Proband:

STATEMENT OF MEDICAL NECESSITY

By submission of this test requisition and accompanying sample(s), I: (i) authorize and direct GeneDx to perform the testing indicated; (ii) certify that the person listed as the ordering provider is authorized by law to order the test(s) requested; (iii) certify that any custom panel and/or ordered test(s) requested on this test requisition form are reasonable and medically necessary for the diagnosis and/or treatment of a disease, illness, impairment, symptom, syndrome or disorder; (iv) the test results will determine my patient's medical management and treatment decisions of this patient's condition on this date of service; and (v) have obtained this patient's and relatives', when applicable, written informed consent to undergo any genetic testing requested.

Signature of Provider (required) Date

FAMILY MEMBER CONSENT FOR GENETIC TESTING, FINANCIAL AGREEMENT AND GUARANTEE

By signing this form, I acknowledge as the patient or relative being tested that I have read the GeneDx Informed Consent document available from my healthcare provider or at genedx.com/forms, and I authorize GeneDx to perform genetic testing as ordered. I understand that, for tests that evaluate data from multiple family members concurrently, results from these family members may be included in a single comprehensive report that will be made available to all tested individuals and their healthcare providers. For self-pay, by my signature below, I accept full and complete financial responsibility for all genetic testing ordered by my healthcare provider and billed to me by GeneDx. I further understand and agree that, if I fail to make payment for genetic testing, in accordance with the payment policies of GeneDx, my account may be turned over to an external collection agency for non-payment and I agree to pay any associated collection costs, including attorney fees. More information, including the GeneDx Notice of Privacy Policies, is available on GeneDx's website: www.genedx.com

By checking this box, I confirm that I am a New York state resident, and I give permission for GeneDx to retain any remaining sample longer than 60 days after the completion of testing, and to be used as a de-identified sample for test development and improvement, internal validation, quality assurance, and training purposes. Otherwise, New York law requires GeneDx to destroy my sample after 60 days, and it cannot be used for the studies listed above.

Check this box if you wish to opt out of being contacted for research studies.

Check this box if you do not wish to receive ACMG secondary findings. (Full Exome Sequencing and Genome Sequencing Tests ONLY; not for Xpanded® or Slice tests)

Signature of Family Member/Guardian (required) Date

TEST REQUESTED (NO SEPARATE REPORT)		Family member samples MUST BE RECEIVED WITHIN 3 WEEKS for inclusion in the proband's test. Rapid test options (Xpress and Priority) <u>require</u> submission of family member samples at the same time as the proband's sample.	
<input type="radio"/> J767	Ataxia Xpanded®, Family Member Testing	<input type="radio"/> J903	Retinal Dystrophy Xpanded®, Family Member Testing
<input type="radio"/> 954	Autism/ID Xpanded®, Family Member Testing	<input type="radio"/> 561d	XomeDx®, Family Member Testing
<input type="radio"/> T997	Cerebral Palsy Xpanded®, Family Member Testing	<input type="radio"/> 960	XomeDx® Prenatal, Family Member Testing
<input type="radio"/> J770	Custom XomeDx® Slice Xpanded®, Family Member Testing	<input type="radio"/> 897	XomeDx Xpress®, Family Member Testing
<input type="radio"/> 923	Epi Xpanded®, Family Member Testing	<input type="radio"/> TF36	XomeDx® Priority, Family Member Testing
<input type="radio"/> J854	Leukodystrophy Xpanded®, Family Member Testing	<input type="radio"/> 897	Slice Xpanded® Xpress, Family Member Testing
<input type="radio"/> J513	Microcephaly Xpanded®, Family Member Testing	<input type="radio"/> TF36	Slice Xpanded® Priority, Family Member Testing
<input type="radio"/> J820	Mito Xpanded®, Family Member Testing	<input type="radio"/> J780	GenomeSeqDx (blood only), Family Member Testing
<input type="radio"/> J895	Nystagmus Xpanded®, Family Member Testing	<input type="radio"/> TH79	GenomeXpress (blood only), Family Member Testing

Account #	Account Name	
First Name	Last Name	Date of Birth

General Information About Genetic Testing

What is genetic testing?

DNA provides instructions for our body's growth and development. Genes are distinct sequences of DNA, and are arranged on chromosomes. The DNA in a gene contains instructions for making proteins, which determine things like growth and metabolism as well as traits like eye color and blood type. Genetic disorders are caused by certain changes in DNA affecting the structure or number of chromosomes. Genetic testing is a laboratory test that tries to identify these changes in chromosomes or the DNA. Genetic testing can be a diagnostic test, which is used to identify or rule out a specific genetic condition. Genetic screening tests are used to assess the chance for a person to develop or have a child with a genetic condition. Genetic screening tests are not typically diagnostic and results may require additional testing.

The purpose of this test is to see if I, or my child, may have a genetic variant or chromosome rearrangement causing a genetic disorder or to determine the chance that I, or my child, will develop or pass on a genetic disorder in the future. 'My child' can also mean my unborn child, for the purposes of this consent.

If I/my child already know the specific gene variant(s) or chromosome rearrangement that causes the genetic disorder in my family, I will inform the laboratory of this information.

What could I learn from this genetic test?

The following describes the possible results from the test:

1) Positive: A positive result indicates that a genetic variant has been identified that explains the cause of my/my child's genetic disorder or indicates that I/my child am at increased risk to develop the disorder in the future. It is possible to test positive for more than one genetic variant.

2) Negative: A negative result indicates that no disease-causing genetic variant was identified by the test performed. It does not guarantee that I/my child will be healthy or free from genetic disorders or medical conditions. If I/my child test negative for a variant known to cause the genetic disorder in other members of my/my child's family, this result rules out a diagnosis of the same genetic disorder in me/ my child due to this specific change.

3) Inconclusive/Variant of Uncertain Significance (VUS): A finding of a variant of uncertain significance indicates that a genetic change was detected, but it is currently unknown whether that change is associated with a genetic disorder either now or in the future. A variant of uncertain significance is not the same as a positive result and does not clarify whether I/my child is at increased risk to develop a genetic disorder. The change could be a normal genetic variant or it could be disease-causing. Further analysis may be recommended, including testing parents and other family members. Detailed medical records or information from other family members also may be needed to help clarify results.

4) Unexpected results: In rare instances, this test may reveal an important genetic change that is not directly related to the reason for ordering this test. For example, this test may tell me about the risk for another genetic condition I/my child is not aware of or it may indicate differences in the number or rearrangement of sex chromosomes. This information may be disclosed to the ordering health care provider if it likely impacts medical care.

Result interpretation is based on currently available information in the medical literature, research and scientific databases. Because the literature, medical and scientific knowledge are constantly changing, new information that becomes available in the future may replace or add to the information GeneDx used to interpret my/my child's results. Providers can contact GeneDx at any time to discuss the classification of an identified variant. In addition, I or my/my child's health care providers may monitor publicly available resources used by the medical community, such as ClinVar (www.clinvar.com), to find current information about the clinical interpretation of my/my child's variant(s).

For tests that evaluate data from multiple family members, my spouse, or partner concurrently, results may be included in a single comprehensive report.

What is Trio/Duo-based genetic testing?

For some genetic tests, including samples from the biological parents and/or other biological relatives along with the patient's sample can help with the interpretation of results. These tests are often referred to as "trio tests" since they typically include samples from the patient and both parents. Samples from relatives should be submitted with the patient's sample. Clinical information must be provided for the patient and any relative who submits a sample.

I understand that GeneDx will use the relative sample(s) when needed for the interpretation of my/my child's test results. The patient report may include clinical and genetic information about a relative when it is relevant to the interpretation of the results. Relatives do not receive an independent analysis of data nor a separate report.

What are the risks and limitations of this genetic test?

- Genetic testing is an important part of the diagnostic process. However, genetic tests may not always give a definitive answer. In some cases, testing may not identify a genetic variant even though one exists. This may be due to limitations in current medical knowledge or testing technology.

- Accurate interpretation of test results may require knowing the true biological relationships in a family. Failing to accurately state the biological relationships in my/my child's family may result in incorrect interpretation of results, incorrect diagnoses, and/or inconclusive test results. In some cases, genetic testing can reveal that the true biological relationships in a family are not as they were reported. This includes non-paternity (the stated father of an individual is not the biological father) and consanguinity (the parents of an individual are related by blood). It may be necessary to report these findings to the health care provider who ordered the test.
- Genetic testing is highly accurate. Rarely, inaccurate results may occur for various reasons. These reasons include, but are not limited to: mislabeled samples, inaccurate reporting of clinical/medical information, rare technical errors, or unusual circumstances such as bone marrow transplantation, or the presence of change(s) in such a small percentage of cells that the change(s) may not be detectable by the test (mosaicism).
- This test does not have the ability to detect all of the long-term medical risks that I/my child might experience. The result of this test does not guarantee my health or the health of my child/fetus. Other diagnostic tests may still need to be done, especially when only a genetic screening test has been performed previously.
- Occasionally, an additional sample may be needed if the initial specimen is not adequate.

Patient Confidentiality and Genetic Counseling

It is recommended that I receive genetic counseling before and after having this genetic test. I can find a genetic counselor in my area here: www.nsgc.org. Further testing or additional consultations with a health care provider may be necessary.

To maintain confidentiality, the test results will only be released to the referring health care provider, to the ordering laboratory, to me, to other health care providers involved in my/my child's diagnosis and treatment, or to others as entitled by law. The United States Federal Government has enacted several laws that prohibit discrimination based on genetic test results by health insurance companies and employers. In addition, these laws prohibit unauthorized disclosure of this information. For more information, I understand that I can visit www.genome.gov/10002077.

International Specimens

If I/my child reside outside the United States, I attest that by providing a sample for testing, I am not knowingly violating any export ban or other legal restriction in the country of my/my child's residence.

Additional information about the specific test being ordered is available from my health care provider or I can go to the GeneDx website, www.genedx.com. This information includes the complete gene lists, the specific types of genetic disorders that can be identified by the genetic test, the likelihood of a positive result, the limitations of genetic testing, as well as information about how specimens and information are stored and used.

Specimen Retention

After testing is complete, the de-identified submitted specimen may be used for test development and improvement, internal validation, quality assurance, and training purposes. DNA specimens are not returned to individuals or to referring health care providers unless specific prior arrangements have been made.

I understand that samples from residents of New York State will not be included in the de-identified research studies described in this authorization and will not be retained for more than 60 days after test completion, unless specifically authorized by my selection. The authorization is optional, and testing will be unaffected if I do not check the box for the New York authorization language. No tests other than those authorized shall be performed on the biological sample.

Database Participation

De-identified health history and genetic information can help health care providers and scientists understand how genes affect human health. Though I/my child may not personally benefit, sharing this information helps health care providers to provide better care for their patients and researchers to make discoveries. GeneDx shares this type of information with health care providers, scientists and health care databases. No personal identifying information will be shared, as it will be replaced with a unique code.

Even though only a code is used for the reporting to the database, there is a risk that I/my child may be identified based on the genetic and health information that is shared. GeneDx believes that this is unlikely, though the risk is greater if I have already shared {my/my child's} genetic or health information with public resources, such as genealogy websites.

Recontact for Research Participation

Separate from the above, GeneDx may collaborate with scientists, researchers and drug developers to advance knowledge of genetic diseases and to develop new treatments. If there are opportunities to participate in research relevant to the disorder in {my/my child's} family, and if I have consented for recontact, GeneDx may allow my healthcare provider to be recontacted for research purposes, such as the development of new testing, drug development, or other treatment modalities. In some situations, such as if my health care provider is not available, I may be contacted directly.

Any research that results in medical advances, including new products, tests or discoveries, may have potential commercial value and may be developed and owned by GeneDx or the collaborating researchers. If any individuals or corporations benefit financially from these studies, no compensation will be provided to {my/my child} or {my/my child's} heirs.

INFORMED CONSENT

Account #	Account Name		
First Name	Last Name	Date of Birth	

Applicable Only for Full Exome Sequencing and Genome Sequencing Tests

Does not pertain to Xpanded® or Slice tests

Exome/Genome Sequencing Secondary Findings & Opt-Out

As many different genes and conditions are analyzed in an Exome Sequencing or Genome Sequencing test, these tests may reveal some findings not directly related to the reason for ordering ES/GS. Such findings are called "incidental" or "secondary" and can provide information that was not anticipated.

Secondary findings are variants, identified by an Exome Sequencing or Genome Sequencing test, in genes that are unrelated to the individual's reported clinical features.

The American College of Medical Genetics and Genomics (ACMG) has recommended that secondary findings identified in a specific subset of medically actionable genes associated with various inherited disorders be reported for all probands undergoing genome or exome sequencing. Please refer to the latest version of the [ACMG Recommendations for Reporting of Secondary Findings in Clinical Exome and Genome Sequencing](#) for complete details of the genes and associated genetic disorders. Reportable secondary findings will be confirmed by an alternate test method.

What will be reported for the proband

- All known and/or expected pathogenic variants identified in the genes (for which a minimum of 10X coverage was achieved by an Exome Sequencing or a minimum of 15X coverage was achieved by a Genome Sequencing test), as recommended by the ACMG.

What will be reported for relatives

- The presence or absence for any secondary findings reported for the proband will be provided for all relatives analyzed by an Exome Sequencing or Genome Sequencing test.

Limitations

- Pathogenic variants may be present in a portion of the gene not covered by this test and therefore are not reported.
The absence of reportable secondary findings for any particular gene does not mean there are no pathogenic variants in that gene.
- Pathogenic variants that may be present in a relative, but are not present in the proband, will not be identified, or reported.
- Only changes at the sequence level will be reported in the secondary findings report. Larger deletions/duplications, abnormal methylation, triplet repeat or other expansion variants, or other variants not routinely identified by clinical exome and genome sequencing will not be reported.